

SAFEMARK

Т

Υ

S

ΕM

Coming together is a beginning. Keeping together is progress. Working together is success.

– Henry Ford



EXTRAORDINARY INNOVATION

Inspired by leading hotel designers and industry professionals, Safemark is unlocking an entirely new philosophy for guest room security with the LTX-3 safe. Boasting distinctive finish options and a curved, elliptical face, the LTX-3 is anything but one-dimensional. Capable of housing 17" laptops, tablets, purses and much more, this sophisticated safe is sure to captivate guests while complementing the unique interior design of each room.



LTX-3 DEPENDABLE SECURITY

Hotels depend on reliable, emergency access to their safes and Safemark's optional highsecurity, Medeco[™] override key system delivers confidence. Concealed behind a magnetic plate, the UL-rated Medeco[™] cylinders are customized to each property with a unique pinning code. Unlike skeleton keys, the Medeco[™] key cannot be unknowingly copied and additional keys are only available from the manufacturer with proper authority. The lock is virtually pick proof and cannot be bumped.

Safemark's Emergency Handheld Override (EHO) provides added security with password protected access and easy-to-use Windowsbased software for the industry's most comprehensive audit trail. The LTX-3 also includes an exclusive \$10,000 warranty against theft by forced entry during the 5-year manufacturer's warranty.

240 EVENT AUDIT TRAIL:

- Audit retains the following information:
- >Time/Date of Each Safe
 - Locking/Opening
- >Full Identity (Full Name) of Authorized Staff Members Who Have Opened a Locked Safe
- >Time/Date of Countdowns
- >Time/Date of Medeco™ Key Openings
- >Time/Date of Battery Replacement

Cleverly concealed override access behind magnetic plate.

DESIGNER FINISHES

Along with its impressive security and durability, the LTX-3 embraces the importance of design with four signature finishes. Hand selected by over 300 designers at an industry trade show, these finishes are sure to compliment any guest room.



LTX-3 CONSTRUCTION

- >Cold-Rolled Steel Door
 >13 Gauge Steel Body
 >Two 3/4" (19mm) Diameter Steel Locking Bolts
 >Hidden Hinges
 >Curved Elliptical Keypad for Optimal Viewing
- >Integrated Handle
- >4 AA Alkaline Batteries
- >Windows[™] Based Software
- >Optional Concealed Medeco™ Fail-Safe Key Lock Override
- >Internal Light

- >Backlit keypad, display
- and logo
- >Industry-first backlit instructions for easy viewing
- >Standard finish body: Black
- >Standard finish door: Choose from one of four designer carbon fiber finishes. Consult your Safemark representative for custom options.
- >Optional Color Matched 13 1/2" (342.9mm) Pedestal >Optional Left/Right Hinging



For over 30 years, Safemark has built exceptionally engineered safes while balancing the unique needs of designers, operators and hotel guests. With an impressive global installation base of more than one million safes, Safemark is approved and utilized by nearly every major hotel brand with installations ranging from luxury to economy properties.

CONTACT US

Headquarters

2101 Park Center Dr. Suite 125 Orlando, FL 32835 800-255-8818 Phone 407-299-0044 Phone 407-299-7650 Fax

Online

www.safemark.com sales@safemark.com Skype: Safemark



International

asiapacific@safemark.com emea@safemark.com latinamerica@safemark.com canada@safemark.com china@safemark.com